


PUMP



Pump can be coupled with NEMA standard 4" motor

Type	Power		H1	DNM	H (OF-OIL motor version)		H (WF-Water motor version)	
	kW	HP			<i>single-phase</i>	<i>three-phase</i>	<i>single-phase</i>	<i>three-phase</i>
4WN1-19	0.55	0.75	481	1 1/4	806	806	734	709
4WN1-26	0.75	1.00	642	1 1/4	992	967	925	890
4WN1-38	1.10	1.50	864	1 1/4	1249	1214	1171	1147
4WN2-10	0.55	0.75	324	1 1/4	649	649	577	552
4WN2-14	0.75	1.00	394	1 1/4	744	719	677	642
4WN2-20	1.10	1.50	499	1 1/4	884	849	806	782
4WN3-8	0.55	0.75	289	1 1/4	614	614	542	517
4WN3-11	0.75	1.00	342	1 1/4	692	667	625	590
4WN3-16	1.10	1.50	430	1 1/4	815	780	737	713
4WN3-21	1.50	2.00	519	1 1/4	939	904	858	826
4WN3-32	2.20	3.00	749	1 1/4	1219	1169	1186	1088
4WN4-7	0.55	0.75	301	1 1/4	626	626	554	529
4WN4-9	0.75	1.00	344	1 1/4	694	669	627	592
4WN4-14	1.10	1.50	452	1 1/4	837	802	759	735
4WN4-18	1.50	2.00	538	1 1/4	958	923	877	845
4WN4-27	2.20	3.00	767	1 1/4	1237	1187	1204	1106
4WN4-35	3.00	4.00	934	1 1/4		1478		1328
4WN4-48	4.00	5.50	1253	1 1/4		1827		1796
4WN5-6	0.55	0.75	296	1 1/2	621	621	549	524
4WN5-8	0.75	1.00	345	1 1/2	695	670	628	593
4WN5-12	1.10	1.50	433	1 1/2	818	783	740	716
4WN5-16	1.50	2.00	542	1 1/2	962	927	881	849
4WN5-24	2.20	3.00	777	1 1/2	1247	1197	1214	1116
4WN5-32	3.00	4.00	965	1 1/2		1509		1359
4WN5-44	4.00	5.50	1296	1 1/2		1870		1839

Type	Power		H1	DNM	H (OF-OIL motor version)		H (WF-Water motor version)	
	kW	HP			<i>single-phase</i>	<i>three-phase</i>	<i>single-phase</i>	<i>three-phase</i>
4WN6-7	1.10	1.50	395	2	780	745	702	678
4WN6-10	1.50	2.00	485	2	905	870	824	792
4WN6-15	2.20	3.00	640	2	1110	1060	1077	979
4WN6-21	3.00	4.00	865	2		1409		1259
4WN6-29	4.00	5.50	1150	2		1724		1693
4WN6-39	5.50	7.50	1480	2		2124		2133
4WN8-6	1.10	1.50	356	2	741	706	663	639
4WN8-8	1.50	2.00	418	2	838	803	757	725
4WN8-13	2.20	3.00	573	2	1043	993	1010	912
4WN8-17	3.00	4.00	697	2		1241		1091
4WN8-23	4.00	5.50	921	2		1495		1464
4WN8-32	5.50	7.50	1238	2		1882		1891
4WN12-7	1.10	1.50	540	2	925	925	847	823
4WN12-10	1.50	2.00	695	2	1115	1115	1034	1002
4WN12-14	2.20	3.00	905	2	1375	1449	1342	1244
4WN12-19	3.00	4.00	1240	2		1784		1634
4WN12-25	4.00	5.50	1570	2		2144		2113
4WN12-35	5.50	7.50	2165	2		2809		2818
4WN12-43	7.50	10.00	2585	2		3390		3316
4WN15-12	2.20	3.00	680	2	1150	1100	1117	1019
4WN15-16	3.00	4.00	1220	2		1764		1614
4WN15-21	4.00	5.50	1610	2		2184		2153
4WN15-30	5.50	7.50	2225	2		2869		2878

Type	Power		Weight (kg) OF-Oil motor version			Weight (kg) WF-Water motor version		
			Pump	Pump + Motor		Pump	Pump + Motor	
	Kw	HP		single-phase	three-phase		single-phase	three-phase
4WN1-19	0.55	0.75	4,7	12,3	11,7	4,7	12,8	12,8
4WN1-26	0.75	1.00	5,8	14,5	13,4	5,8	16,4	16,4
4WN1-38	1.10	1.50	8,2	18,5	16,9	8,2	19,4	19,4
4WN2-10	0.55	0.75	3,3	10,9	10,3	3,3	11,4	11,4
4WN2-14	0.75	1.00	3,9	12,6	11,5	3,9	14,5	14,5
4WN2-20	1.10	1.50	4,9	15,2	13,6	4,9	16,1	16,1
4WN3-8	0.55	0.75	2,9	10,5	9,9	2,9	11	11
4WN3-11	0.75	1.00	3,4	12,1	11	3,4	14	14
4WN3-16	1.10	1.50	4,2	14,5	12,9	4,2	15,4	15,4
4WN3-21	1.50	2.00	5	17	15,4	5	19	19
4WN3-32	2.20	3.00	7,1	21,3	19,1	7,1	23,5	23,5
4WN4-7	0.55	0.75	3	10,3	10	3	11,1	11,1
4WN4-9	0.75	1.00	3,3	12	10,9	3,3	13,9	13,9
4WN4-14	1.10	1.50	4,1	14,4	12,8	4,1	15,3	15,3
4WN4-18	1.50	2.00	4,7	16,7	15,1	4,7	18,7	18,7
4WN4-27	2.20	3.00	6,2	20,4	18,2	6,2	22,6	22,6
4WN4-35	3.00	4.00	7,9		21	7,9		26,2
4WN4-48	4.00	5.50	9,9		25,5	9,9		26,2
4WN5-6	0.55	0.75	2,9	9,9	12	2,9	11	11
4WN5-8	0.75	1.00	3,3	12	10,9	3,3	13,9	13,9
4WN5-12	1.10	1.50	4,1	14,4	12,8	4,1	15,3	15,3
4WN5-16	1.50	2.00	5	17	15,4	5	19	19
4WN5-24	2.20	3.00	6,6	20,8	18,6	6,6	23	23
4WN5-32	3.00	4.00	8,7		21,8	8,7		27
4WN5-44	4.00	5.50	11,2		26,8	11,2		34,6

Type	Power		Weight (kg) OF-Oil motor version			Weight (kg) WF-Water motor version		
			Pump	Pump + Motor		Pump	Pump + Motor	
	Kw	HP		single-phase	three-phase		single-phase	three-phase
4WN6-7	1.10	1.50	3,8	14,1	12,7	3,8	15	15
4WN6-10	1.50	2.00	4,6	16,6	15	4,6	18,6	18,6
4WN6-15	2.20	3.00	6,4	20,6	18,4	6,4	22,8	22,8
4WN6-21	3.00	4.00	8,2		21,3	8,2		26,5
4WN6-29	4.00	5.50	10,7		26,3	10,7		34,1
4WN6-39	5.50	7.50	14,5		33,4	14,5		43,9
4WN8-6	1.10	1.50	3,4	13,7	12,1	3,4	14,6	14,6
4WN8-8	1.50	2.00	4	16	14,4	4	18	18
4WN8-13	2.20	3.00	5,5	19,7	17,5	5,5	21,9	21,9
4WN8-17	3.00	4.00	6,6		19,7	6,6		24,9
4WN8-23	4.00	5.50	8,4		24	8,4		31,8
4WN8-32	5.50	7.50	11		29,9	11		40,4
4WN12-7	1.10	1.50	4,9	15,2	13,6	4,9	16,1	16,1
4WN12-10	1.50	2.00	6,3	18,3	16,7	6,3	20,3	20,3
4WN12-14	2.20	3.00	8,1	22,3	20,1	8,1	24,5	24,5
4WN12-19	3.00	4.00	11		24,1	11		29,3
4WN12-25	4.00	5.50	14,3		29,9	14,3		37,7
4WN12-35	5.50	7.50	19,8		38,7	19,8		49,2
4WN12-43	7.50	10.00	24		51	24		57,8
4WN15-12	2.20	3.00	8,4	22,6	20,4	8,4		24,8
4WN15-16	3.00	4.00	10,8		23,9	10,8		29,1
4WN15-21	4.00	5.50	14,7		30,3	14,7		38,1
4WN15-30	5.50	7.50	20,1		39	20,1		49,5